



# Shiman Micromix EDTA

## Chelated water soluble micronutrient mix

Fe = 84.5 g/kg\*

Mn = 20.4 g/kg\*

Zn = 10.2 g/kg\*

Cu = 1.5 g/kg\*

B = 23.1 g/kg

Mo = 0.51 g/kg

(\*EDTA Chelated)

## Fertilizer Group 2

Registration number B 4582 (Act 36 of 1947)

# 25kg

Shiman (Pty) Ltd

Registration No: 2005/004200/07

P.O. Box 957, Irene, 0062

Tel: +27 (11) 635 3000 Fax: +27 (11) 316 3389 e-mail: [info@shiman.co.za](mailto:info@shiman.co.za)

## GENERAL

Shiman Micromix EDTA is a combination of chelated micronutrients for use in hydroponic growing systems or as a foliar feed, where the pH of the solution is below 6.2.

## APPLICATION RATES

### *Fertigation*

- Pot plants and shrubs  
10 – 20 g/1000 ℓ water in final dilute solution continuously
- Seedlings  
10 – 20 g/1000 ℓ water in final dilute solution 2-3 times during growing cycle.
- Cucumbers and tomatoes in greenhouses  
20 g/1000 ℓ water in final dilute solution continuously

### *Foliar feed*

- A standard application rate for foliar feeds are 0.25 – 0.50 g.ℓ<sup>-1</sup> water.
- Sprays at the suggested application rate should be applied once every 7 to 14 days only when necessary.
- Before using the product on a crop the application rate should be tested on a few plants to ensure there is no phytotoxicity.
- The foliar feed should be applied either later afternoon or early morning and should never be applied during the heat of the day.
- The addition of a good quality wetting agent is advised with all sprays of Shiman Micromix EDTA.

## PRECAUTIONS

- Store in a sealed container.
- Store away from light.
- Keep dry.

## NOTES

Application rates supplied in this label are only guidelines. Such application rates should be adapted to local conditions as differences of climate, soil type, temperature, crop variety, application method and irrigation/fertigation systems might necessitate variation of the guideline application given, to establish the correct application rate for environmental and crop specifics, the product should be applied based on the recommendations of a qualified technical advisor or consultant.